NLM SERIES LABORATORY REFRIGERATOR

FEATURES

- Top Mounted System
- E-Glass and Heated Cabinet Facia to prevent condensation up to 80% R.H.
- Interior Lighting LED
- Automatic Water Disposal
- Digital Display with Built-in Alarms
- TGA Certified



6
Â.

Ω≣

2°C to 8°C

400 L

700 L 1000 L

1614 L 2170 L	
600w x 620d x 1915h	
870w x 700d x 2100h	
1200w x 700d x 2100h	
1880w x 700d x 2100h	
2400w x 700d x 2100h	



AUSTRALIAN MADE AND OWNED

YEARS

ANT REFRIGE

NULINE

REFRIGERATION

+61 3 9562 3355 info@nuline.au 7 Longford Court, Springvale VIC 3171

www.nuline.au

NLM SERIES LABORATORY REFRIGERATOR

Model	NLM400/1	NLM700/1	NLM1000/2	NLM1614/3	NLM2170/4	
Gross Capacity	400 L	700 L	1000 L	1614 L	2170 L	
External Dimensions in mm (w/d/h including castors)	600 x 620 x 1915	870 x 700 x 2100	1200 x 700 x 2100	1880 x 700 x 2100	2400 x 700 x 2100	
Internal Dimensions in mm (w/d/h)	500 x 470 x 1435	770 x 550 x 1555	1100 x 550 x 1555	1780 x 550 x 1520	2300 x 550 x 1520	
Packed Dimensions in mm (w/d/h including pallet)	700 x 720 x 2065	970 x 800 x 2250	1300 x 800 x 2250	1980 x 800 x 2250	2500 x 800 x 2250	
Gross Weight - kg (packed weight)	102	112	137	187	208	
Net Weight - kg	95	95	125	175	195	
Voltage			240V			
Temperature Range	2°C to 8°C					
Ambient Temperature Range	10°C to 32°C					
Refrigerant	R134a					
Cooling System / Defrost	Fan Forced / Automatic					
Exterior Cabinet Finish	White Colourbond					
Inner Liner Material	White Colourbond					
Door	Solid / Glass E-Glass					
Door Hinge	R	Н	LH / RH	LH / RH / RH	LH / RH / LH / RH	
Door Handle			Lockable			
Type of Controller	Digital					
Temperature Display	External					
Data Logger	Optional					
Door Ajar Alarms	Optional					
High and Low Readout			Visual / Audible			
BMS Connectivity						
(BMS Connectivity for Remote Alarms only)			Optional			
(BMS Connectivity for 4-20mA Transmitter)			Optional			
Port Entry			Optional			
Battery Back-up for Controller	Optional					
Power Requirement	10amp GPO					
Castors			Yes			
Adjustable Shelves		5		15	20	
Usable Shelf Area in mm(w/d)	480 x 450	750 x 530	1080 x 530	565 x 530	575 x 530	
Light			LED			

Nuline Refrigeration reserves the right to alter the specifications without prior notice.

NULINE REFRIGERATION

NLM SERIES LABORATORY REFRIGERATOR

Since 1985, Nuline Refrigeration has been manufacturing refrigerators and freezer cabinets for the Australian market. Our specialised range of biomedical cabinets are used extensively across the hospitals, medical centres, pharmacies and laboratories.

Focusing on customer needs, we manufacture, import and customise the biomedical cabinets from a range of selected global suppliers. Our factory is based in Melbourne, Australia and we are proudly 100% Australian owned business.

Each of our manufactured cabinets are custom built based on customer orders by our craftsmen right here in Melbourne.

We have extensive capability to design, engineer and build a range of refrigerated cabinets for you. Our standard product range includes, fridges, freezers (up to -40°C), blanket warmer, mortuary refrigerators and refrigerated incubators.

